

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 May 2009

(For the Period 1 May 2009 to 14 May 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
N	MIL-PRF-32327	Rifle, Caliber .50:Sniper W/Day Optic Sight and Carrying Cases - M107 [CUST: AR]	A	1005	AR		20-MAR-2009
M	MIL-DTL-52649C	Engine Cold Starting Aids, Ether Fuel Primers [CUST: AT 99 CC] [REVIEW: 70]	A	2910	CC		11-MAY-2009
N	SAE-AS81819	Bearing, Plain, (Self-Aligning, Sleeve and Thrust), Self-Lubricating, High Speed Oscillation [CUST: AV AS 99 GS]	A	3120	AS		05-MAY-2009
N	SAE-AS81819/1	Bearing, Plain, Sliding Spherical, Self-Lubricating, Self-Aligning, High Speed Oscillation [CUST: AV AS 99 GS]	A	3120	AS		05-MAY-2009
M	MIL-DTL-25427B	Coupling Assembly, Hydraulic, Self-Sealing, Quick Disconnect, General Specification for [CUST: AV AS 99] [REVIEW: 11 71 AT CC MC MI SA SH]	A	4730	AS		15-MAY-2009
M	QPL-38449-9 NOT 2	Signal and Signal/Intercommunication Amplifiers, Universal, Aerial Refueling	A	5821	84		14-MAY-2009
M	MIL-PRF-39003M	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910	CC		12-MAY-2009
M	A-A-59688/3C	Fuse, Cartridge, Instrument Type, 5 MM X 20 MM, Time-Delay, Low-Breaking Capacity [CUST: EC CC]	A	5920	/	CC	04-MAY-2009
M	A-A-55571/1E	Circuit Breaker, 28 Volts (V) DC, Automatic Reset, Waterproof, 15 Amperes (A) to 30 A [CUST: EC CC]	A	5925	/	CC	07-MAY-2009
M	A-A-55571/2E	Circuit Breaker, 28 Volts (V) DC, Manual Reset, Waterproof, 15 Amperes (A) to 30 A [CUST: EC CC]	A	5925	/	CC	07-MAY-2009
M	A-A-55571/3E	Circuit Breaker, 28 Volts (V) DC, Manual Reset, Waterproof, 105 Amperes (A) to 200 A [CUST: EC CC]	A	5925	/	CC	07-MAY-2009
M	A-A-55571/4E	Circuit Breaker, 28 Volts (V) DC, Manual Reset, Waterproof, 35 Amperes (A) to 150 A [CUST: EC CC]	A	5925	/	CC	07-MAY-2009
M	A-A-55571/5E	Circuit Breaker, 28 Volts (V) DC, Automatic Reset, Nonwaterproof, 10 Amperes (A) to 35 A [CUST: EC CC]	A	5925	/	CC	07-MAY-2009
M	A-A-55571/6E	Circuit Breaker, 28 Volts (V) DC, Manual Reset, Nonwaterproof, 10 Amperes (A) to 35 A [CUST: EC CC]	A	5925	/	CC	07-MAY-2009
M	A-A-55571/7E	Circuit Breaker, 28 Volts (V) DC, Automatic Reset, Nonwaterproof, 35 Amperes (A) to 150 A [CUST: EC CC]	A	5925	/	CC	07-MAY-2009
M	A-A-55571/8E	Circuit Breaker, 28 Volts (V) DC, Automatic Reset, Nonwaterproof, 150 Amperes (A) to 200 A [CUST: EC CC]	A	5925	/	CC	07-MAY-2009
M	W-C-375/1C	Circuit Breakers, Molded Case, Branch Circuit and Service, Type I, Series Trip, Single Pole (10 through 70 Amperes) [CUST: YD 85 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	14-MAY-2009
M	W-C-375/2C	Circuit Breakers, Molded Case, Branch Circuit and Service, Type I, Series Trip, Two Pole (10 through 125 Amperes) [CUST: YD 85 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	14-MAY-2009
M	W-C-375/3D	Circuit Breakers, Molded Case, Branch Circuit and Service, Type I, Series Trip, Three Pole (10 through 10 Amperes) [CUST: YD 85 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	14-MAY-2009
M	W-C-375/5C	Circuit Breakers, Molded Case, Branch Circuit and Service, Type I, Series Trip, Single Pole (15 through 50 Amperes) [CUST: YD 85 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	14-MAY-2009
M	W-C-375/6D	Circuit Breakers, Molded Case, Branch Circuit and Service, Type I, Series Trip, Two Pole (15 through 125 Amperes) [CUST: YD 85 CC] [REVIEW: 99 MC OS SH]	A	5925	/	CC	14-MAY-2009
M	W-C-375/10C	Circuit Breakers, Molded Case, Branch Circuit and Service, Type I, Series Trip, Single Pole (15 through 100 Amperes) [CUST: YD 85 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	14-MAY-2009
M	W-C-375/11C	Circuit Breakers, Molded Case, Branch Circuit and Service, Type I, Series Trip, Two Pole (15 through 100 Amperes) [CUST: YD 85 CC] [REVIEW: 99 MC OS]	A	5925	/	CC	14-MAY-2009
M	MS3115G	Connectors, Receptacle, Electrical, Dummy Stowage, Bayonet Coupling, for MIL-DTL-26482 Connectors, Series 1 and 2 [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI SH]	A	5935	CC		29-APR-2009
M	MS33678A NOT 1	Connector, Receptacle, Electric, Integral Mounting [CUST: CR AS 85 CC]	A	5935	AS		15-MAY-2009
M	MS33695A NOT 1	Contacts, Video Coaxial Connector [CUST: CR AS 85 CC]	A	5935	AS		15-MAY-2009
M	MS90558F	Connector, Plug, Electrical, Wall Mounting, (with Coupling Ring) Class L, (Equipment) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5935	CC		30-APR-2009
M	MIL-STD-1698B	Insert Arrangements for MIL-DTL-28840 High Density High Shock Circular Electrical Connectors [CUST: EC CC]	A	5935	CC		30-APR-2009
N	SAE-AS29600	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts Associated Hardware, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
N	SAE-AS29600/1	Connector, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Sealing Plug, Size 8 (Series A) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
N	SAE-AS29600/2	Connector, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Backshell, Shield Terminating, (Series A and B) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
N	SAE-AS29600/3	Connector, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environmental Resistant, Removable Crimp Contacts, Backshell 90 Degrees, Self Locking (Series A and B) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
N	SAE-AS29600/4	Connector, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environmental Resistant, Removable Crimp Contact, Backshell 45 Degrees, Self Locking (Series A and B) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
N	SAE-AS29600/5	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Self Locking, Environmental Resistant, Removable Crimp Contacts, Dust Cover (Series A) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
N	SAE-AS29600/6	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environmental Resistant, Removable Crimp Contacts, Stowage Receptacle (Series B) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
N	SAE-AS29600/7	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Threaded, Environment Resistant, Removable Crimp Contacts, Nut, Hexagon, Connector Mounting [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
N	SAE-AS29600/10	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Receptacle, Flanged (Series A) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
N	SAE-AS29600/11	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Receptacle, Jam Nut (Series A) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
N	SAE-AS29600/12	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Plug (Series A) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935		AS	12-MAY-2009
N	SAE-AS29600/20	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Receptacle, Flanged (Series B) [CUST: AS]	A	5935		AS	12-MAY-2009
N	SAE-AS29600/21	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Receptacle, Jam Nut (Series B) [CUST: AS]	A	5935		AS	12-MAY-2009
N	SAE-AS29600/22	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Plug (Series B) [CUST: AS]	A	5935		AS	12-MAY-2009
N	SAE-AS29600/23	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Contacts, Socket, Crimp Removable, (for MIL-C-29600 Series B) [CUST: AS]	A	5935		AS	12-MAY-2009
N	SAE-AS29600/24	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Contacts, Pin, Crimp Removable, (Series B) [CUST: AS]	A	5935		AS	12-MAY-2009
M	MIL-PRF-19500/560J	Semiconductor Device, Transistor, NPN, Silicon, Switching, Type 2N5339 and 2N5339U3, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR 85 CC] [REVIEW: 19 71 99 MI]	A	5961		CC	02-MAY-2009
M	QPL-AS23190-3 NOT 1	Straps, Clamps, and Mounting Hardware, Plastic and Metal for Cable Harness Tying and Support (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5975		AS	12-MAY-2009
M	MIL-DTL-22442/62A	Cable Assembly, Aircraft Audio [CUST: AS]	A	5995		AS	14-MAY-2009
M	A-A-55563/5B	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, with Flared Entry, with 2 Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	16-MAY-2009
M	A-A-55563/6B	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, without Flared Entry, with 2 Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	16-MAY-2009
M	A-A-55563/11B	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, with Flared Entry, with 3 Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	14-MAY-2009
M	A-A-55563/12B	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, without Flared Entry, with 3 Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	14-MAY-2009
N	A-A-59789/19	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .250 X .270 Inch (6.35 x 6.86 MM) Body Size, With Captive Rear Wedge, Screw Actuated [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	02-MAY-2009
N	A-A-59789/20	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .250 X .270 Inch (6.35 x 6.86 MM) Body Size, With Captive Rear Wedge and Visual Lock Indication, Screw Actuated [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	02-MAY-2009
M	MIL-PRF-85045/29A	Cable, Fiber Optic, Twelve/Eighteen Fiber Bundle, Blown Optical Fiber Cable Configuration Type 3 (Cable Bundle), Application B (Shipboard), Cable Class SM and MM, (Metric) [CUST: SH 99 CC]	A	6015		CC	14-MAY-2009
M	QPL-9320-17 NOT 1	Signal, Warning, Audible, for Headset, Type MA-1 (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6340		GS2	12-MAY-2009
M	A-A-59308 NOT 2	Clinometers, Ship, and Accessories [CUST: SH 99 GS1]	A	6605	/	GS1	15-MAY-2009
M	MIL-PRF-5350G	Transmitter, Synchro Operated, Aircraft, General Specification for [CUST: AV AS 71] [REVIEW: GS]	A	6620		71	04-MAY-2009
M	QPL-23377-19 NOT 1	Primer Coatings: Epoxy, High-Solids (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8010		AS	12-MAY-2009
M	QPL-81294-26 NOT 1	Remove, Paint, Epoxy, Polysulfide and Polyurethane Systems (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8010		AS	12-MAY-2009
M	QPL-85582-5(1) NOT 1	Primer Coatings: Epoxy, Waterborne (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8010		AS	14-MAY-2009
M	QPL-TT-R-248-14 NOT 1	Remover, Paint and Lacquer, Solvent Type (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8010	/	AS	12-MAY-2009
M	MIL-DTL-3701E	Cylinders, Compressed Gas: DOT-8 and DOT-8AL Acetylene, with Valves [CUST: SH GS]	A	8120		GS7	20-APR-2009
M	MIL-DTL-14650/6D	Streamers, Coast Guard Set [CUST: IH] [REVIEW: CG CT]	A	8345		IH	01-JUN-2009
M	MIL-DTL-41819/21L	Ribbon Attachments: Numerals, Army and Marine Corps; Strike/Flight Devices, Navy and Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	01-MAY-2009
N	ASTM-A606/A606M	Steel, Sheet and Strip, High-Strength, Low-Alloy, Hot-Rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance [CUST: MR AS] [REVIEW: AR EA IS SH YD]	A	9515		MR	01-MAY-2009
M	MIL-STD-220C	Method of Insertion Loss Measurement [CUST: CR EC 85 CC] [REVIEW: MI YD]	A	EMCS		CC	14-MAY-2009
M	MIL-STD-1501E(1)	Chromium Plating, Low Embrittlement, Electro-Deposition [CUST: 70]	A	MFFP		70	28-APR-2009

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS29521G	Disk, Valve [CUST: AV AS 99 CC] [REVIEW: 71 SA]	A	4820		CC	07-APR-2009
M	MIL-DTL-5372/1B	Fuse, Limiter Type Enclosed Link, 1 - 60 Ampere [CUST: 85 CC]	A	5920		CC	13-MAY-2009
M	W-C-375/7D	Circuit Breakers, Molded Case, Branch Circuit and Service, Type I, Series Trip, Three Pole (15 through 100 Amperes) [CUST: YD 85 CC] [REVIEW: 99 MC OS SH]	A	5925	/	CC	14-MAY-2009
M	MS3110F	Connectors, Receptacle, Electrical, Solder Type, Wall Mounting, Bayonet Coupling, Series 1, Classes E, F, J and P [CUST: CR AS 85 CC] [REVIEW: 99 AV EC SH]	A	5935		CC	29-APR-2009
M	MS3111E	Connectors, Plug, Electrical, Solder Type, Cable Connecting, Bayonet Coupling, Classes E, F, J, and P [CUST: CR AS 85 CC] [REVIEW: 99 AV EC SH]	A	5935		CC	29-APR-2009
M	MS3120G	Connectors, Receptacle, Electrical, Crimp Type, Wall Mounting, Flange, No. 4 Holes, Bayonet Coupling, Series 1, Classes E, F and P [CUST: CR 85 CC] [REVIEW: 99 CR4 MI]	A	5935		CC	29-APR-2009
M	MS3121D(1)	Connectors, Plug, Electrical, Crimp Type, Cable-Connecting, Bayonet Coupling, Series 1, Classes E, F and P [CUST: CR 85 CC] [REVIEW: 99 CR4 MI]	A	5935		CC	29-APR-2009
M	MS3124F(1)	Connectors, Receptacle, Electric, Crimp Type, Rear Mounting, Jam Nut, Bayonet Coupling, Series 1, Classes E, F and P [CUST: CR 85 CC] [REVIEW: AR MI]	A	5935		CC	29-APR-2009
M	MS3126G(1)	Connectors, Plug, Electrical, Crimp Type, Straight, Bayonet Coupling, Series 1, Classes E, F and P [CUST: CR SH 85 CC] [REVIEW: 99 AR MI]	A	5935		CC	29-APR-2009
M	MS3127L(1)	Connectors, Receptacle, Electrical, Series 1, Crimp Type, Box Mounting, Flange, No. 4/6 Holes, Bayonet Coupling, Class E [CUST: CR AS 85 CC] [REVIEW: 99 AV EC MI SH]	A	5935		CC	29-APR-2009
M	MS3128K	Connector, Receptacle, Electrical, Crimp Type, Wall Mounting, No. 4/6 Holes, Bayonet Coupling, Series 1, Classes E, F and P [CUST: CR AS 85 CC] [REVIEW: 99 MI]	A	5935		CC	29-APR-2009
M	MIL-DTL-29563A NOT 1	Antenna System, Aims Shipboard, Electronically Steered OE-120/UPX [CUST: AS CC] [REVIEW: EC]	A	5985		CC	07-MAY-2009
M	MIL-D-81976(1) NOT 2	Dummy Load, Electrical DA-662/UPQ-5 [CUST: AS CC]	A	5985		CC	07-MAY-2009
M	MIL-DTL-13777J	Cable, Special Purpose, Electrical, General Specification for [CUST: AR AS 85 CC] [REVIEW: 99 AT CR CR4 EC MC MI]	A	6145		CC	04-MAY-2009
M	MS25236G NOT 1	Lamp, Incandescent T-1-1/4, Knurled Screw Base [CUST: CR4 AS 99 GS2] [REVIEW: 71 AR IS]	A	6240		GS2	15-MAY-2009

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-15733/63A NOT 1	Filters, Radio Frequency Interference, Style FL37 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG MC MI OS SH]	A	5915	CC		12-MAY-2009
M	MIL-F-15733/64A NOT 1	Filters, Radio Frequency Interference, Style FL49 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG MC MI OS SH]	A	5915	CC		12-MAY-2009
M	MIL-C-29600(3) SUP 1 NOT 1	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Associated Hardware, General Specification for (S/S by SAE-AS29600) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/1 NOT 1	Connector, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Sealing Plug, Size 8, (Series A) (S/S by SAE-AS29600/1) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/2 NOT 1	Connector, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Backshell, Shield Terminating, (Series A and B) (S/S by SAE-AS29600/2) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/3 NOT 1	Connector, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Backshell 90 Deg., Self Locking (Series A and B) (S/S by SAE-AS29600/3) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/4 NOT 1	Connector, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Backshell 45 Deg., Self Locking (Series A and B) (S/S by SAE-AS29600/4) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/5 NOT 1	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Self Locking, Environmental Resistant, Removable Crimp Contacts, Dust Cover (Series A) (S/S by SAE-AS29600/5) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/6 NOT 1	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environmental Resistant, Removable Crimp Contacts, Stowage Receptacle (Series B) (S/S by SAE-AS29600/6) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/7 NOT 1	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Threaded, Environment, Resistant, Removable Crimp Contacts, Nut, Hexagon, Connector Mounting (S/S by SAE-AS29600/7) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/10(1) NOT 2	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Receptacle, Flanged (Series A) (S/S by SAE-AS29600/10) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/11(1) NOT 1	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Receptacle, Jam Nut (Series A) (S/S by SAE-AS29600/11) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/12(1) NOT 2	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Plug (Series A) (S/S by SAE-AS29600/12) [CUST: CR AS 85 CC] [REVIEW: 19 AV EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/20(1) NOT 2	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Receptacle, Flanged (Series B) (S/S by SAE-AS29600/20) [CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/21(1) NOT 1	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Receptacle, Jam Nut (Series B) (S/S by SAE-AS29600/21) [CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/22(1) NOT 2	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts, Plug (Series B) (S/S by SAE-AS29600/22) [CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/23 NOT 1	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Contacts, Socket, Crimp Removable, (for MIL-C-29600 Series B) (S/S by SAE-AS29600/23) [CUST: AS]	A	5935	AS		12-MAY-2009
M	MIL-C-29600/24 NOT 1	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Contacts, Pin, Crimp Removable, (Series B) (S/S by SAE-AS29600/24) [CUST: AS]	A	5935	AS		12-MAY-2009
M	IPC-TM650.2.3.18	Resin Gel Stroke Time for Prepreg Materials (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT CR4 EA]	A	5998	CC		10-MAY-2009
M	IPC-TM650.2.3.19	Volatile Content of Prepreg (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT CR4 EA]	A	5998	CC		10-MAY-2009
M	IPC-TM650.2.5.6.2	Electric Strength of Printed Wiring Material (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	CC		14-MAY-2009
M	MIL-C-28777/3C NOT 2	Cable Assembly, (Type I), Electronic Test Equipment, (2 Poles, 3 Wires, 125 Volts, 13 Amperes, 50/60 Hertz), Grounding Plug Connector and 90 Degree Molded MIL-C-5015 Connector (No S/S Document) [CUST: CR EC 85 GS] [REVIEW: AS CC MC]	A	6150	GS8		16-APR-2009
M	MIL-C-28777/4C NOT 2	Cable Assembly, (Type I), Electronic Test Equipment, (2 Poles, 3 Wires, Grounding, 125 Volts, 13 Amperes, 50/60 Hertz), Grounding Plug Connector and Straight Molded MIL-C-5015 Connector (No S/S Document) [CUST: CR EC 85 GS] [REVIEW: AS CC MC]	A	6150	GS8		16-APR-2009
M	MIL-C-28777/12A NOT 2	Cable Assembly, (Type II), Electronic Test Equipment, (2 Poles, 3 Wires, Grounded, 125 Volts, 13 Amperes, 50 or 60 Hertz), Grounding Plug Connector, and Type I Equipment Connector (No S/S Document) [CUST: CR EC 99 GS] [REVIEW: CC]	A	6150	GS8		16-APR-2009
M	ASTM-D4225	Sheeting, Styrene-Butadiene (No S/S Document) [CUST: MR AS 11] [REVIEW: GL GS]	A	9330	MR		01-MAY-2009
M	ASTM-A606	Steel, Sheet and Strip, High-Strength, Low Alloy, Hot rolled and Cold-Rolled, with Improved Atmospheric Corrosion Resistance (S/S by ASTM-A606/A606M) [CUST: MR AS] [REVIEW: AR EA IS SH YD]	A	9515	MR		01-MAY-2009
M	SAE-AMS-S-13165	Shot Peening of Metal Parts (S/S by SAE-AMS2430) [CUST: MR AS 11]	A	MFFP	MR		01-MAY-2009